



INDEX

Page

- 1 Comparing open to closed combustion fireplaces
- 2 How to correctly size and choose your fireplace
- 3 Smart Fireplaces - The Benefits & Features
- 4 Multifire System®

FREESTANDING

Page	Unit	Max kW
6	ECO 200	8
	MEDEA	8.1
	TORINO 3V	9
	SIBILLA	10.4
	GIJON	12.2
7	ORDESA	13
	MODENA	13
	ETNA	13
	VERSALLES	13.3
	CRISTAL 69	13.7
8	SENA PLUS	13.7
	NAPOLI	14
	E1000	14
	CRISTAL 78	14.3
	CRISTAL 78 D	14.3
9	ZOE	15
	MONZA 3V	15
	GENO REBAISSE	15
	GENO	15
	CRISTAL 98	15.5
10	CRISTAL 98 D	15.5
	PRESTON 14	15.5
	BURY 14	15.5
	AIKO	15.5
	HEULVA	18.5
11	CLEO	6
	CAMILLA	6
	PETITE	6.15
	P158T	8
	ATALAYAS	8
	MONIA	8.2
	MELANY	8.2
	P120 T	8.5
	P120	8.5
	P130 T	11
	P130	11

WOOD

PELLET

Page

- 5 Pipes & fittings
- 6 10 Reasons why we're the best

FREESTANDING

Page	Unit	Max kW
12	P937	11.3
	P163T	11.3
	P943M	12
	CAYENNE 10	12.3
	CAYENNE 12	12.3
	CLASS 16	16.3

BUILT IN

Page	Unit	Max kW
13	IP 11	11
	MP 974	15
	MA 272 SL	13
	MA 283 D/S SL	14.7
	MA 271 SL	16
14	MA262 SL	16.5
	PREMIUM 90X70 DBL	17
	PREMIUM 120X60	19
	CRYSTAL 4D	21
	LONDRES	21

INSERT

Page	Unit	Max kW
	IL 65/54	7
	IL 75/64	9
	MC 80/64 BL	11
	MC 70/51	11
	MC 90/44	13.5
15	CRISTAL 69	13.7
	CRISTAL 69 D	13.7
	MC 120/48	14
	CRISTAL 78	14.3
	CRISTAL 78 D	14.3
16	COLISEO	14.4
	CRISTAL 98	15.5
	CRISTAL 98 D	15.5

PELLET

PELLET

WOOD

WOOD

GAS DROP-IN

Page	Unit	Max kW
17	FOCUS 80	10
	FOCUS 130	12
	FOCUS 180	15

FLUED GAS

Page	Unit	Max kW
	VENEZIA 130 P	
	VENEZIA 90 C	
	FIRENZE 70	
	ROMA 50	

COOKING

Page	Unit
18	KAMADO JAN
	OUTDOOR GRILLS
20	PIAZZETTA CHEF
	PIZZA OVENS

BUILT-IN BRAAI

Page	Unit
21	DE LUXE
	PREMIUM
	ECO

GLOSSARY

Page	
22 - 33	

PANAROMIC

Page	Unit
33	Goteborg
	Marvik

Flues fittings and selected surrounds not included. Installation quotes are subject to a site visit and assessment.
Consumption calculation is based on the maximum allowed load capacity to prevent over firing.
Products are categorized by freestanding, built-in and insert type and ranked by Max kW (low to high). E&OE.

TECHNICAL INFORMATION

COMPARING OPEN TO CLOSED COMBUSTION FIREPLACES

Closed combustion refers to a fire that burns behind a sealed glass door.

Air controls are fitted to configure the amount of air flowing into the combustion chamber. This allows the user to regulate the output of the fireplace.

Unlike an open fire, a closed combustion fireplace is highly efficient and very economical, using approximately one third of the wood compared to an open fireplace.

It transfers up to 85% of the heat into the room (Rather than losing heat though the chimney).

Less ash is produced and fewer carbon emissions are emitted.

Closed systems are safe, as the glass prevents any smoke or other combustible materials from entering the room. A closed combustion fireplace requires one to start a fire the traditional way, with kindling and paper, and offers the ambiance of a natural wood log flame. It requires dry wood to be fed manually into the fireplace.

Pellet fireplaces are the most efficient closed combustion fireplaces.




Figure 1.1

OPEN COMBUSTION





Figure 1.2

CLOSED COMBUSTION

	Av. fresh air consumption per Kg of wood	Maximum efficiency	Heat loss per efficiency rating	Fuel consumption	Kw output per Kg: Wood @ 20% moisture Pellets @ 8% moisture
OPEN COMBUSTION	45 Cubic Meters	33% Rated output	67%	3X More	1.32 Kw/Hour
CLOSED COMBUSTION	15 Cubic Meters	92% Rated output	8%	3X Less	4.62 Kw/Hour

TECHNICAL INFORMATION

HOW TO CORRECTLY SIZE AND CHOOSE YOUR FIREPLACE

HOW TO SIZE YOUR FIREPLACE




Figure 2.1

Step 1

Calculate your room volume (m^3)

Measure your room width, depth and height, as illustrated in figure 2.1. Multiply these figures with each other.

Example calculation:

$$7.5m (w) \times 6m (d) \times 2.7m (h) = 121.5m^3$$

$$121.5m^3 \times 0.035 \text{ (Well insulated)} = 4.25Kw \text{ (Min requirement)}$$

Step 2

Multiply the cubic meters (m^3) by the relevant insulation factor below:

Poorly insulated room: 0.06

Well insulated room: 0.035

The result, measured in kilowatts, is the minimum heat output required.

WOOD-LOG VS WOOD PELLET HEATING

Whatever their exterior design or functions, our wood burning fireplaces always ensure maximum comfort, low consumption and reduced emissions while offering the romantic ambience of a traditional wood burning flame. Wood logs need to be seasonally stored in a dry and well ventilated area for between 1-2 years to ensure the moisture content is below 20%.

Pellets are the ecological fuel par excellence. They are practical, easy to handle and store and produce heat without harming the environment. Our pellet fireplaces guarantee a long burn time, self-regulating capacity as well as practical ignition and programming management.

MORE ABOUT PELLET FIREPLACES

Pellet fireplaces are highly efficient and fully automated, programmable heating systems. They utilize wood pellets as biomass fuel. It is very economical, easy to handle and store, and produces a high heat output without harming the environment.

The pellet fireplace starts automatically with the touch of a button. It can be set to turn on and off at desired times, and can even be linked to a cell phone app.

WOOD PELLETS:

- Consistent quality ensures clean burn.
- Low moisture content - No drying needed.
- High thermal efficiency.
- Guaranteed supply eliminating bulk storage.
- Packaged in 15kg bags making for easy handling and storage.
- Only 1% ash makes for easy cleaning.
- Made from wood waste and sawdust from sustainable plantations.



SMART FIREPLACES

BENEFITS & FEATURES EXPLAINED



- ▶ Fully Automated & Programmable
- ▶ Optional wifi-connectivity for control via mobile-app & home-automation systems
- ▶ Accurate temperature management
- ▶ On-board digital control
- ▶ Enamel steel decorative finish
- ▶ Convenient and easy to use
- ▶ Less than 1% ash produced
- ▶ Easy to clean
- ▶ Economical consumption
- ▶ Low running costs
- ▶ Highly efficient



- ▶ **All Smart Standard features +**
- ▶ Multifire heat distribution system
- ▶ Ducting up to 8m for central heating
- ▶ Natural mode for fan free operation
- ▶ Decorative finish in combination of enamel steel & Majolica ceramic



- ▶ **All Smart Standard features +**
- ▶ Multifire ducting up to 16m for central heating
- ▶ Dual climate control (models 11kw+)
- ▶ Remote control LCD
- ▶ Complete hand-made Majolica ceramic finish



- ▶ Electricity free
- ▶ Automated feed
- ▶ Low running costs
- ▶ Convenient to use
- ▶ Easy to clean
- ▶ Less than 1% ash produced
- ▶ Economical consumption
- ▶ Highly efficient
- ▶ Natural radiation



CENTRAL
HEATING



WIFI
COMPATIBLE



TEMPERATURE
CONTROL




REMOTE
CONTROL



MOBILE
APP



ON/OFF
TIMES



20°

20°

20°

MULTIFIRE SYSTEM®

EVEN HEAT DISTRIBUTION FROM FLOOR TO CEILING

Selected wood and pellet fireplaces may also be fitted with Piazzetta's patented Multifire System.

These allow even heat distribution throughout the primary room and adjacent rooms via ducting.

The system cleverly draws hot air from the ceiling level and channels it through a built-in heat exchanger within the fireplace. Here it is super-heated and then distributed via a fan at floor level to predetermined rooms in the house.

The Multifire method is fully automated. It efficiently warms areas up to 10 meters away from the heat source for wood burners, and 16 meters for pellet burning units.

DUCT TO MULTIPLE ROOMS FROM ONE HEAT SOURCE



EVEN HEAT DISTRIBUTION



PIPES & FITTINGS

TOP QUALITY | EUROPEAN STANDARDS



Stainless steel pipes & fittings



All our flues & fittings adhere to the following European Regulations, namely: 1856/1 & 1856/2. Our heating appliances must be installed with flues, fittings and installation techniques adhering to the relevant European regulations as prerequisite to validate the manufacturer's warranty of the product.

Stainless steel pipes are made from 304 & 316 grade stainless steel.

10 REASONS

WHY WE ARE SA's NO.1 FIREPLACE COMPANY

- Largest fireplace range in SA**
Calore offers over 100 fireplace variations to choose from bringing you the largest fireplace selection in South Africa.
- Top European quality & best value**
We source from only the best European suppliers to ensure quality.
- Multiple colours & designs**
Our fireplace range consists of a large range of options. Choose from multiple colours and various surrounds and finishes.
- Remote control & wifi compatibility**
Selected units from our fireplace range come with wifi compatibility and remote control enabling you to control and manage your heating experience via remote or your mobile device with ease.
- Expert in-store service and advice**
Our representing sales executives are expertly skilled at offering you the best advice when it comes to selecting and buying your fireplace. They will ensure you have exactly what you need and guide you throughout the process.
- Leaders in after sales service & support**
Our dealers and technicians are professionally trained and experienced in offering you the right solutions to any after sales service you require including manufacturer parts availability guarantee.
- Exclusive patented technologies**
Selected fireplaces in our range, exclusive to Calore, come standard or optional with patented heating technology for maximum user comfort and experience. Heat multiple rooms from one heat source with our Multifire technology.
- Industry leading performance & efficiencies**
Our range consists of fireplaces using pellet, wood and gas as fuel. We source only the best performing fireplaces with our pellet fireplaces reaching up to 90% efficiency.
- Certified professional installers**
All our dealers have their own local trained in-house or appointed independent installers with the skills and knowledge of best practice installation principles at European standards.
- The first to guarantee pellet supply in SA**
Our pellet manufacturing plant constantly produces pellets to maintain a minimum buffer stock quantity to ensure and guarantee pellet supply to all our clients throughout South Africa, Namibia and Lesotho.

ECO 200



6.5 - 8 kW

570 W x 340 D x 735 H

MEDEA



6.6 - 8.1 kW

500 W x 430 D x 920 H


TORINO 3V



7.1 - 9 kW

563 W x 396 D x 810 H

SIBILLA



8.2 - 10.4 kW

600 W x 510 D x 1025 H

GIJON



11 - 12.2 kW

590 W x 408 D x 746 H

ORDESA



10 - 13 kW

530 W x 360 D x 690 H

MODENA



11 - 13 kW

605 W x 490 D x 1008 H

ETNA



11.5 - 13 kW

730 W x 475 D x 775 H

VERSAILLES



12 - 13.3 kW

772 W x 444 D x 654 H

CRISTAL 69 - SUSPENSION KIT



Pedestal



Extended base



Base 4 Feet



Leg Holder



Available with modular base options and Suspension kit

8 - 13.7 kW

700 W x 435 D x 552 H

SENA PLUS



12.5 - 13.7 kW

720 W x 443 D x 722 H

NAPOLI



12.4 - 14 kW

650 W x 465 D x 1000 H

BOREAL E1000



With optional leg stand 737 W x 439 D x 1136 H

13 - 14 kW 737 W x 444 D x 633 H

CRISTAL 78 - BASE 4 FEET



Suspension Kit



Pedestal



Extended base



Log Holder



Available with modular base options and Suspension kit

8.4 - 14.3 kW 790 W x 485 D x 552 H

CRISTAL 78 D - BASE 4 FEET



Pedestal



Extended base



Suspension Kit



Log Holder



Available with modular base options

8.4 - 14.3 kW 790 W x 524 D x 552 H

ZOE



5 - 15 kW 480 W x 465 D x 1125 H

MONZA 3V



13 - 15 kW 796 W x 482 D x 889 H

GENO REBAISSE



5 - 15 kW 625 W x 470 D x 555 H

GENO



5 - 15 kW

625 W x 470 D x 745 H

CRISTAL 98 - 4 FEET BASE



Pedestal



Suspension Kit



Extended base



Log Holder



Available with modular base options and Suspension kit

9.4 - 15.5 kW

990 W x 485 D x 556 H

CRISTAL 98 D - PEDESTAL



Extended base



Base 4 feet



Suspension Kit



Log Holder



Available with modular base options

9.4 - 15.5 kW

990 W x 524 D x 556 H

PRESTON 14



14.3 - 15.5 kW

728 W x 460 D x 764 H

BURY 14



14.3 - 15.5 kW

728 W x 460 D x 764 H

AIKO



14.3 - 15.5 kW

728 W x 460 D x 764 H

HUELVA



16 - 18,6 kW

W 770 x D 770 x H 1285

CLEO



GRIGIO

BORDEAUX

BIANCO

2,4 - 6 kW

455 W x 430 D x 960 H

CAMILLA



NERO

BORDEAUX

BIANCO

2,8 - 6 kW

516 W x 485 D x 952 H

PETITE



NERO

BIANCO

2,7 - 6,15 kW

426 W x 487 D x 770 H

P158T



NERO

RUBINO

BIANCO

3,9 - 8 kW

490 W x 480 D x 1060 H

ATALAYAS



BORDEAUX

BIANCO

Gravity Feed - No electricity required

3 - 8 kW

465 W x 510 D x 1000 H

MONIA



MELANY



P120 T



P120



P130 T



P130



P937

BIANCO ANTICO / ARDESIA



3.5 - 11.3 kW

880 W x 450 D x 1200 H

P163TNERO
RUBINO
BIANCO

3.5 - 11.3 kW

620 W x 580 D x 1250 H

P943MTERRACOTTA
BIANCO

4 - 12 kW

570 W x 580 D x 1330 H

CAYENNE 10GRIGIO
BIANCO

2.8 - 10 kW

440 W x 460 D x 965 H

CAYENNE 12GRIGIO
BIANCO

5.2 - 12.3 kW

470 W x 480 D x 1010 H

CLASS 16GRIGIO
BIANCO

3.8 - 16.3 kW

495 W x 570 D x 1114 H

IP 11



4.6 - 11 kW

780 W x 550 D x 680 H

MP 974



3.3 - 14 kW

680 W x 528 D x 1440 H

MA 272 SL PLUS



13 kW

590 W x 1020 D x 1750 H

MA 271 SL PLUS



16.5 kW

1012 W x 596 D x 1820 H

MA 262 SL PLUS



16.5 kW

780 W x 550 D x 680 H

PREMIUM 90X70 DBL



13 - 19 kW

1275 W x 650 D x 1590 H

PREMIUM 120X60



15 - 21 kW

1575 W x 540 D x 1490 H

CRYSTAL 4D



16 - 21 kW

1130 W x 810 D x 1650 H

IL 65/54



3.3 - 7 kW

650 W x 425 D x 540 H

IL 75/64



4.3 - 9 kW

750 W x 425 D x 640 H

MC 80/64 BL



5.3 - 11 kW

825 W x 470 D x 765 H

MC 70/51



5.3 - 11 kW

785 W x 520 D x 1180 H

MC 90/44



5.9 - 13.5 kW

985 W x 470 D x 600 H

CRISTAL 69



Available with Frame Options

8 - 13.7 kW

690 W x 427 D x 548 H

CRISTAL 69 D



Available with Frame Options

8 - 13.7 kW

690 W x 520 D x 548 H

MC120/48



6.5 - 14 kW

1260 W x 480 D x 640 H

CRISTAL 78 D



Available with Frame Options

8.4 - 14.3 kW

780 W x 520 D x 548 H

CRISTAL 78



Available with Frame Options

8.4 - 14.3 kW

780 W x 477 D x 548 H

COLISEO



12.5 - 14.4 kW

792 W x 430 D x 547 H

CRISTAL 98



Available with Frame Options

9.4 - 15.5 kW

980 W x 477 D x 552 H

CRISTAL 98 D



Available with Frame Options

9.4 - 15.5 kW

980 W x 520 D x 552 H

LONDRES



21 - 24 kW

1100 W x 493 D x 1195 H

FOCUS 80



4 - 10 kW

774 W x 296 D x 140 H

FOCUS 130



5 - 12 kW

1300 W x 296 D x 140 H

FOCUS 180



VENEZIA 130 P



VENEZIA 90 C



FIRENZE 70



ROMA 50



FLUELESS GAS
FIREPLACES

FLUED GAS
FIREPLACES

CALORE, FIRST FOR FIREPLACES | WWW.CALORE.CO.ZA



GRILL & SMOKER

Charcoal



JUNIOR

LARGE

X-LARGE

Brand	Kamado JAN	Kamado JAN	Kamado JAN
Fuel Type	Natural lump charcoal	Natural lump charcoal	Natural lump charcoal
Unit size (mm) WxDxH	400x400x600	545x545x1170	635x635x1235
Safety clearance (mm)	240	350	350
Cooking surface (mm)	340	470	510
Shipping weight (Kg)	50	108	127
Shipping dimensions	490x450x730 mm WxDxH	740x620x890 mm WxDxH	850x720x890 mm WxDxH
Finish	Ceramic Cast Iron Steel	Ceramic Cast Iron Steel	Ceramic Cast Iron Steel

Additional information

- ✓ All Kamado JAN ceramic outdoor grills come with a 20 year warranty.
- ✓ Units are sold in kit form with included accessories.
- ✓ This is a lifetime purchase that offers you an all in one solution.
- ✓ All Kamado JAN's are manufactured with the best quality components.
- ✓ The ceramic components insulates and retains heat for up to 12 hours to deliver incredible results.

KAMADOJAN
THE ULTIMATE ALL IN ONE GRILL *For life*



SHOP ONLINE
KAMADOJAN.CO.ZA

INCLUDED ACCESSORIES

STANDARD WITH KAMADO JAN KITS


JNR



Table top stand



Deflector set | Firebox | Ash grate



Braai grid



Ash tool



Braai glove



Weather proof cover

LARGE | X-LARGE



Grid Gripper



Firebox | Fire ring | Ash grate



Deflector plates



Leg set



Chicken sitter




Weather proof cover




Braai glove



Bamboo side shelves




Half-moon grids



Drip tray/Potjie holder
Divide & Conquer holder



Braai grid



Ash tool

**KAMADO
JAN JNR
LEGSTAND**
*OPTIONAL EXTRA

ROTISSERIE
*OPTIONAL EXTRA



PIZZA OVEN

Wood



CHEF 72

CHEF 102

Brand	Piazzetta	Piazzetta
Type	Built-In	Built-In
Fuel	Wood	Wood
Unit size (mm)	750 H x 720 W x 800 D	750 H x 1020 W x 800 D
Door dimensions (mm)	540 x 415	540x415
Cooking surface (mm)	630 D x 600 W x 430 H	630 D x 900 W x 430 H
Oven weight (Kg)	300	400
Flue Diameter	180mm	180mm
Flue exit(s)	Top	Top

Additional information

- ✓ Both models come standard with a paddle and hoe.
- ✓ A traditional wood fired pizza oven made from a high quality refractory material with a double air chamber for greater heat dispersion. It is supplied with a built-in thermometer, glass door and a manually adjustable damper.
- ✓ The unique design offers rapid heating properties.



CALORE BRAAI RANGE



DE LUXE


MILD STEEL BRAAI

MODELS

DE LUXE 800
DE LUXE 1000
DE LUXE 1200
DE LUXE 1500

AVAILABLE FINISHES

Mild Steel **or** Mild Steel +
Stainless Steel Door



PREMIUM

STAINLESS STEEL BRAAI

MODELS

PREMIUM 800
PREMIUM 1000
PREMIUM 1150

AVAILABLE FINISHES

Stainless Steel 430 **or** 304



ECO

STAINLESS STEEL BRAAI

MODELS

ECO 800
ECO 1000
ECO 1150

AVAILABLE FINISHES

Stainless Steel 430 **or** 304 **or** 316

ONLY AVAILABLE FROM CAPE TOWN, JOHANNESBURG & PAARL STORES

FREESTANDING WOOD FIREPLACES



	ECO 200	MEDEA	TORINO 3V	SIBILLA	GIJON	ORDESA
Nom - Max output range Kw	6.5-8	6.6-8.1	7.1-9	8.2-10.4	11-12.2	10-13
Heating Capacity m³	160	190	280	235	275	250
Nominal Efficiency %	75	81	81.1	78.2	80	76
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	2.1	1.9	2.1	2.5	3.2	3.2
Brand / Country of Origin	Bronpi / Spain	Superior / Italy	Calore / Spain	Superior / Italy	Bronpi / Spain	Bronpi / Spain
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	150	130	150	150	150	150
Flue exit	Top	Top	Top	Top	Top	Top
WxDxH mm	570 x 353 x 735	500 x 430 x 920	563 x 396 x 810	600 x 510 x 1025	590 x 408 x 746	530 x 545 x 690
Weight Kg	53	110	95	167	72	103
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel	Steel, Cast-Iron	Steel	Cast-Iron, Steel	Steel	Cast-Iron
Ash tray	Yes	Yes	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural	Natural	Natural	Natural	Natural	Natural
Multifire System	-	-	-	-	-	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural Steel	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural Steel	5 Yr. Structural Steel
(Where Applicable)	7 Yr. Structural C-Iron	2 Yr. Elec. & Mech.		10 Yr. Parts Availability	7 Yr. Structural C-Iron	7 Yr. Structural C-Iron
	2 Yr. Elec. & Mech.	10 Yr. Parts Availability			2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.

Available colours

* Selected colours are available on request only;
Please confirm stock availability.

N/A



N/A



N/A

N/A

FREESTANDING WOOD FIREPLACES



	MODENA	ETNA	VERSALLES	CRISTAL 69	SENA PLUS	NAPOLI
Nom - Max output range Kw	11-13	11.5-13	12-13.3	8-13.7	12.5-13.7	12.4-14
Heating Capacity m³	275	288	300	415	313	300
Nominal Efficiency %	80.7	75	75	80	79	75.3
Type	Freestanding	Freestanding	Wall Hung	Freestanding	Freestanding	Freestanding
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	3.3	2.7	3.5	2	3.8	3.7
Brand / Country of Origin	Calore / Spain	Bronpi / Spain	Bronpi / Spain	C&A Chama / Portugal	Bronpi / Spain	Calore / Spain
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	150	150	150	180	150	150
Flue exit	Top	Top, Rear	Top	Top	Top	Top
WxDxH mm	605 x 490 x 1008	730 x 475 x 754	772 x 444 x 654	700 x 435 x 552	720 x 443 x 722	650 x 465 x 1000
Weight Kg	131	150	136	115	78	141
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel	Cast-Iron	Cast-Iron, Steel	Steel	Steel	Steel
Ash tray	Yes	Yes	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural	Natural	Natural	Natural, Opt. Forced	Natural	Natural
Multifire System	-	-	-	-	-	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural
(Where Applicable)		7 Yr. Structural C-Iron	7 Yr. Structural C-Iron	2 Yr. Elec. & Mech.	7 Yr. Structural C-Iron	
		2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.		2 Yr. Elec. & Mech.	
Available colours	N/A	N/A	N/A	N/A	N/A	N/A

* Selected colours are available on request only;
Please confirm stock availability.

FREESTANDING WOOD FIREPLACES



BOREAL E1000

ZOE

CRISTAL 78

CRISTAL 78 D

MONZA 3V

GENO REBAISSE

Nom - Max output range Kw	13-14	4-14	8.4-14.3	8.4-14.3	13-15	5-15
Heating Capacity m³	325	320	433	433	370	340
Nominal Efficiency %	82	76	81	81	78.9	80.2
Type	Wall Hung / Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	3.6	2.86	2	2	3.9	2.46
Brand / Country of Origin	Bronpi / Spain	Supra / France	C&A Chama / Portugal	C&A Chama / Portugal	Calore / Spain	Supra / France
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	150	150	180	180	150	150
Flue exit	Top	Top / Rear	Top	Top	Top	Top, Rear
WxDxH mm	737 x 444 x 633	480 x 465 x 1125	790 x 485 x 552	790 x 524 x 552	796 x 482 x 889	625 x 470 x 555
Weight Kg	103	177	138	158	150	142
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel	Cast-Iron	Steel	Steel	Steel	Cast-Iron
Ash tray	Yes	Yes	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural, Fan assisted	Natural	Natural, Opt. Forced	Natural, Opt. Forced	Natural	Natural
Multifire System	-	-	-	-	-	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural Steel	2 Yr. Structural	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural	2 Yr. Structural
(Where Applicable)	7 Yr. Structural C-Iron		2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.		
	2 Yr. Elec. & Mech.					

Available colours

N/A

N/A

N/A

N/A

N/A

N/A

* Selected colours are available on request only;
Please confirm stock availability.

FREESTANDING WOOD FIREPLACES



	GENO	PRESTON 14	BURY 14	AIKO	CRISTAL 98	CRISTAL 98 D
Nom - Max output range Kw	5-15	14.3-15.5	14.3-15.5	5-15	9.4-15.5	9.4-15.5
Heating Capacity m³	340	357	357	340	470	470
Nominal Efficiency %	80.2	75	76	77	78	78
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	2.46	4.3	4.3	2.4	2.5	2.5
Brand / Country of Origin	Supra / France	Bronpi / Spain	Bronpi / Spain	Supra / France	C&A Chama / Portugal	C&A Chama / Portugal
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	150	150	150	150	200	200
Flue exit	Top, Rear	Top, Rear	Top, Rear	Top, Rear	Top	Top
WxDxH mm	625 x 470 x 745	728 x 460 x 764	728 x 460 x 764	655 x 470 x 675	990 x 485 x 556	990 x 524 x 556
Weight Kg	142	180	154	159	175	195
Hopper capacity Kg	-	-	-	-	-	-
Finish	Cast-Iron	Cast-Iron	Cast-Iron	Cast-Iron	Steel	Steel
Ash tray	Yes	Yes	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Natural, Opt. Forced	Natural, Opt. Forced
Convection type	Natural	Natural	Natural	Natural	-	-
Multifire System	-	-	-	-	-	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty (Where Applicable)	2 Yr. Structural	5 Yr. Structural Steel 7 Yr. Structural C-Iron 2 Yr. Elec. & Mech.	5 Yr. Structural Steel 7 Yr. Structural C-Iron 2 Yr. Elec. & Mech.	2 Yr. Structural	5 Yr. Structural Steel 2 Yr. Elec. & Mech.	5 Yr. Structural Steel 2 Yr. Elec. & Mech.
Available colours	N/A	N/A	N/A	N/A	N/A	N/A

* Selected colours are available on request only;
Please confirm stock availability.

FREESTANDING WOOD / PELLET FIREPLACES



	HUELVA-C	CLEO	CAMILLA	PETITE	P158T	ATALAYAS
Nom - Max output range Kw	16-18.6	2.4-6	2.8-6	2.7-6.15	3.9-8	3-8
Heating Capacity m³	400	175	100-175	172	250	189
Nominal Efficiency %	76	90	91.3	90	89.2	86
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Wood	Pellet	Pellet	Pellet	Pellet	Pellet
Nominal Cons. Kg/h	4.9	0.6-1.3	0.6-1.3	0.57-1.3	0.6-1.9	1-1.6
Brand / Country of Origin	Bronpi / Spain	Superior / Italy	Superior / Italy	Artel / Italy	Piazzetta / Italy	Natural Fire / Italy
Category	Traditional Wood	Smart	Smart	Smart	Smart Plus	Smart Gravity
Flue ø	200	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	100
Flue exit	Top	Right, Left, Rear	Left, Right, Rear	Rear	Left, Rear	Top
WxDxH mm	770 x 770 x 1285	455 x 430 x 960	516 x 485 x 952	426 x 487 x 770	490 x 480 x 1060	465 x 510 x 1000
Weight Kg	159	90	90	45	100	96
Hopper capacity Kg	-	10.5	15	11	18	23
Finish	Steel	Cast-Iron, Steel	Cast-Iron, Steel	Steel	Cast-Iron, Steel	Cast-Iron, Steel
Ash tray	Yes	Yes	Yes	-	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural	Forced	Forced	Forced	Forced	Natural
Multifire System	-	-	-	-	Yes	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	Up to 8m	-
Power settings	-	4	5	5	4	-
Remote control	-	Optional	Optional	Optional	Optional	-
Module Wifi	-	Optional	Yes	Optional	Optional	-
Energy saving mode	-	Optional	Yes	Yes	Yes	-
Humidifier	-	-	Optional	-	-	-
Manufacturer's Warranty	5 Yr. Structural Steel	5 Year Structural	2 Yr. Structural	2 Yr. Structural	5 Yr. Structural	2 Yr. Structural
(Where Applicable)	7 Yr. Structural C-Iron	10 Year Parts Avail.	1 Yr. Elec. & Mech.	1 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	
	2 Yr. Elec. & Mech.	2 Year Electrical			10 Yr. Parts Availability	

Available colours

* Selected colours are available on request only;
Please confirm stock availability.

N/A



FREESTANDING PELLET FIREPLACES



	MONIA	MELANY	P120 T	P120	CAYENNE 10	P130 T
Nom - Max output range Kw	2.6-8.2	3.3-8.5	3.4-8.5	3.4-8.5	2.8-10	4-11
Heating Capacity m³	245	145-245	245	245	230	375
Nominal Efficiency %	89	91.2	89.4-90.6	89.4-90.6	89.5	90-91
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Pellet	Pellet	Pellet	Pellet	Pellet	Pellet
Nominal Cons. Kg/h	0.6-1.9	0.7-1.9	0.7-1.9	0.7-1.9	0.58-2	0.9-2.5
Brand / Country of Origin	Superior / Italy	Superior / Italy	Piazzetta / Italy	Piazzetta / Italy	Artel / Italy	Piazzetta / Italy
Category	Smart	Smart	Smart Plus	Smart Plus	Smart	Smart Plus
Flue ø	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)
Flue exit	Top, Rear	Left, Right, Rear	LH Rear	LH Rear	Top, Rear	LH Rear
WxDxH mm	430 x 480 x 990	516 x 485 x 1042	550 x 545 x 1122	504 x 517 x 1122	440 x 460 x 965	618 x 590 x 1230
Weight Kg	89	92	110	105	79	146
Hopper capacity Kg	18	22	18	18	13	27
Finish	Cast-Iron, Steel	Cast-Iron, Steel	Majolica, Steel	Majolica, Steel	Cast-Iron, Steel	Majolica, Steel
Ash tray	Yes	Yes	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Forced	Forced	Forced	Forced	Forced	Forced
Multifire System	-	-	Yes	Yes	-	Yes
Dual power system	-	-	-	-	-	-
Ductable	-	-	Up to 8m	Up to 8m	-	Up to 8m
Power settings	4	4	5	5	5	5
Remote control	Optional	Optional	Optional	Optional	Yes	Optional
Module Wifi	Optional	Yes	Yes	Yes	Optional	Yes
Energy saving mode	Yes	Yes	Yes	Yes	-	Yes
Humidifier	Optional	Optional	Optional	Optional	-	Optional
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	2 Yr. Structural	5 Yr. Structural
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	1 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.
	10 Yr. Parts Availability	10 Yr. Parts Availability	1 Yr. In Contact With Fire 10 Yr. Parts Availability	1 Yr. In Contact With Fire 10 Yr. Parts Availability		1 Yr. In Contact With Fire 10 Yr. Parts Availability

Available colours

* Selected colours are available on request only:
Please confirm stock availability.



FREESTANDING PELLET FIREPLACES



	P130	P937	P163T	P943M	CAYENNE 12	CLASS 16
Nom - Max output range Kw	4-11	3.5-11.3	3.5-11.3	4-12	5.2-12.3	3.8-16.3
Heating Capacity m³	375	325	325	345	300	380
Nominal Efficiency %	90-91	90	90	90.7	92	93
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Fuel Type	Pellet	Pellet	Pellet	Pellet	Pellet	Pellet
Nominal Cons. Kg/h	0.9-2.5	0.8-2.6	0.8-2.6	0.9-2.4	0.6-2.5	0.8-3.34
Brand / Country of Origin	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	Artel / Italy	Artel / Italy
Category	Smart	Smart Premium	Smart Plus	Smart Premium	Smart	Smart
Flue ø	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)
Flue exit	LH Rear	Rear	Left, Rear	Rear	Top, Rear	Rear
WxDxH mm	542 x 557 x 1230	880 x 450 x 1200	620 x 580 x 1250	570 x 580 x 1330	470 x 480 x 1010	495 x 570 x 1114
Weight Kg	138	191	130	180	85	148
Hopper capacity Kg	27	30	32	20	16	13
Finish	Majolica, Steel	Cast-Iron, Majolica	C-Iron, Steel, Majolica	Cast-Iron, Majolica	Cast-Iron, Steel	Cast-Iron, Steel
Ash tray	Yes	Yes	Yes	-	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Forced	Forced	Forced	Forced	Forced	Forced
Multifire System	Yes	Yes	Yes	Yes - Independent	-	-
Dual power system	Yes	Yes	Yes	Yes	-	-
Ductable	Up to 8m	Up to 16m	Up to 8m	Up to 16m	-	-
Power settings	5	5	4	5	5	5
Remote control	Optional	Yes	Optional	Yes	Yes	Yes
Module Wifi	Yes	Optional	Optional	Optional	Optional	Optional
Energy saving mode	Yes	Yes	Yes	Yes	Yes	Yes
Humidifier	Optional	Yes	Optional	Yes	-	-
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	2 Yr. Structural	2 Yr. Structural
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	1 Yr. Elec. & Mech.	1 Yr. Elec. & Mech.
	1 Yr. In Contact With Fire	10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability		
	10 Yr. Parts Availability.					

Available colours

* Selected colours are available on request only;
Please confirm stock availability.



INSERT PELLET FIREPLACES

BUILT-IN WOOD FIREPLACES



IP 11

MP 974

MA 272 SL PLUS

MA 271 SL PLUS

MA 262 SL PLUS

PREMIUM 90X70

Nom - Max output range Kw	4.6-11	4.3-14	13	16	16.5	13-19
Heating Capacity m ³	315	400	375	460	425	400
Nominal Efficiency %	87.7	90.1	78.3	77.5	81.1	83
Type	Built-In / Insert	Built-In	Built-In	Built-In	Built-In	Built-In DBL Sided
Fuel Type	Pellet	Pellet	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	0.8-2.6	1-3.1	3.9	5.2	4.8	4
Brand / Country of Origin	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	A. Caminetti / Albania
Category	Smart	Smart Premium	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	80 (<1000m) 100 (>1000m)	80 (<1000m) 100 (>1000m)	250	250	250	200
Flue exit	Top	Rear	Top	Top	Top	Top
WxDxH mm	780 x 550 x 680	680 x 528 x 1440	590 x 920 x 1750	972 x 535 x 1820	960 x 580 x 1350	1275 x 650 x 1590
Weight Kg	150	170	340	302	320	374
Hopper capacity Kg	22	58	-	-	-	-
Finish	Cast-Iron, Steel	Cast-Iron, Glass	Aluker®, Steel	Aluker®, Steel	Aluker®, Steel	Steel, Glass
Ash tray	-	-	Yes	Yes	Yes	-
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Forced	Forced	Natural	Natural, Opt. Forced	Natural, Opt. Forced	Natural, Opt. Forced
Multifire System	-	Yes	-	Optional	Optional	-
Dual power system	-	Yes	-	-	-	-
Ductable	-	Up to 16m	-	Up to 10m	Up to 10m	-
Power settings	5	5	-	-	-	-
Remote control	-	Yes	-	-	-	-
Energy saving mode	Yes	Yes	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.
	10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability	

Available colours

N/A

N/A

N/A

N/A


N/A

N/A

* Selected colours are available on request only;
Please confirm stock availability.

BUILT-IN WOOD FIREPLACES

INSERT WOOD FIREPLACES



PREMIUM 120X60

CRYSTAL 4D

IL 65/54

IL 75/64

MC 80/64 BL

MC 70/51

Nom - Max output range Kw	15-21	16-21	3.3-7	4.3-9	5.3-11	5.3-11
Heating Capacity m³	400	457	200	260	315	315
Nominal Efficiency %	81	75	78.1	79.7	80	79
Type	Built-In	Built-In 4 Sided	Built-In/Insert	Built-In/Insert	Built-In/Insert	Built-In/Insert
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	5.4	3-4	2	2.4	3.1	3-4
Brand / Country of Origin	A.Caminetti / Albania	A.Caminetti / Albania	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy	Piazzetta / Italy
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	250	250	150	180	200	180
Flue exit	Top	Top	Top	Top	Top	Top
WxDxH mm	1575 x 540 x 1490	1130 x 810 x 1650	650 x 425 x 540	750 x 425 x 640	825 x 470 x 765	785 x 520 x 1180
Weight Kg	400	280	110	132	175	140
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel, Glass	Steel, Glass	Steel, Aluker®	Steel, Aluker®	Steel, Aluker®	Steel, Aluker®
Ash tray	-	-	Yes	Yes	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural, Opt. Forced	Natural	Forced	Forced	Natural, Opt. Forced	Natural, Opt. Forced
Multifire System	-	-	-	-	Optional	Optional
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	Up to 10m	Up to 10m
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.
			10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability	10 Yr. Parts Availability

Available colours

N/A

N/A

N/A

N/A

N/A

N/A

* Selected colours are available on request only;
Please confirm stock availability.

INSERT WOOD FIREPLACES



	MC 90/44	CRISTAL 69	CRISTAL 69 D	MC120/48	CRISTAL 78	CRISTAL 78 D
Nom - Max output range Kw	5.9-13.5	8-13.7	8-13.7	6.5-14	8.4-14.3	8.4-14.3
Heating Capacity m³	350	415	415	405	433	433
Nominal Efficiency %	79.3	83	80	78.9	81	77
Type	Built-In/Insert	Insert	Insert	Built-In/Insert	Insert	Insert
Fuel Type	Wood	Wood	Wood	Wood	Wood	Wood
Nominal Cons. Kg/h	3.2	2	2	3.8	2	3.5
Brand / Country of Origin	Piazzetta / Italy	C&A Chama / Portugal	C&A Chama / Portugal	Piazzetta / Italy	C&A Chama / Portugal	C&A Chama / Portugal
Category	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood	Traditional Wood
Flue ø	200	180	180	200	180	180
Flue exit	Top	Top	Top	Top	Top	Top
WxDxH mm	985 x 470 x 600	690 x 427 x 548	690 x 520 x 548	1260 x 480 x 640	780 x 477 x 548	780 x 520 x 548
Weight Kg	160	110	130	280	131	151
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel, Aluker®	Steel	Steel	Steel, Aluker®	Steel	Steel
Ash tray	-	Yes	Yes	-	Yes	Yes
Glass cleaning air flow	Yes	Yes	Yes	Yes	Yes	Yes
Convection type	Natural, Opt. Forced	Natural, Opt. Forced	Natural, Opt. Forced	Natural, Opt. Forced	Natural, Opt. Forced	Natural, Opt. Forced
Multifire System	Optional	-	-	Optional	-	-
Dual power system	-	-	-	-	-	-
Ductable	Up to 10m	-	-	Up to 10m	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural	5 Yr. Structural Steel	5 Yr. Structural Steel
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.
	10 Yr. Parts Availability			10 Yr. Parts Availability		

Available colours

N/A

N/A

N/A

N/A

N/A

N/A

* Selected colours are available on request only;
Please confirm stock availability.

INSERT WOOD FIREPLACES

FLUELESS GAS FIREPLACES



	CRISTAL 98	CRISTAL 98 D	LONDRES	FOCUS 80	FOCUS 130	FOCUS 180
Nom - Max output range Kw	9.4-15.5	9.4-15.5	21-24	4-10	5-12	8-15
Heating Capacity m³	470	470	525	285	342	428
Nominal Efficiency %	78	75	76	-	-	-
Type	Built-In / Insert	Built-In / Insert	Built-In	Built-In/Insert	Built-In/Insert	Built-In/Insert
Fuel Type	Wood	Wood	Wood	Gas	Gas	Gas
Nominal Cons. Kg/h	2.5	2.5	6.4	0.31-0.776	0.388-0.931	0.621-1.164
Brand / Country of Origin	C&A Chama / Portugal	C&A Chama / Portugal	Bronpi / Spain	Italkero / Italy	Italkero / Italy	Italkero / Italy
Category	Traditional Wood	Traditional Wood	Traditional Wood	Smart	Smart	Smart
Flue ø	200	200	200	-	-	-
Flue exit	Top	Top	Top	-	-	-
WxDxH mm	980 x 477 x 552	980 x 520 x 552	1100 x 493 x 1195	774 x 296 x 140	1300 x 296 x 140	1857 x 296 x 140
Weight Kg	161	184	135	14.5	21.5	28.5
Hopper capacity Kg	-	-	-	-	-	-
Finish	Steel	Steel	Steel	Steel	Steel	Steel
Ash tray	Yes	Yes	Yes	-	-	-
Glass cleaning air flow	Yes	Yes	Yes	-	-	-
Convection type	Natural, Opt. Forced	Natural, Opt. Forced	Natural	Natural	Natural	Natural
Multifire System	-	-	-	-	-	-
Dual power system	-	-	-	-	-	-
Ductable	-	-	-	-	-	-
Power settings	-	-	-	-	-	-
Remote control	-	-	-	-	-	-
Energy saving mode	-	-	-	-	-	-
Humidifier	-	-	-	-	-	-
Manufacturer's Warranty	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural Steel	5 Yr. Structural	5 Yr. Structural	5 Yr. Structural
(Where Applicable)	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	7 Yr. Structural C-Iron 2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.	2 Yr. Elec. & Mech.
Available colours	N/A	N/A	N/A	N/A	N/A	N/A

* Selected colours are available on request only;
Please confirm stock availability.

PANORAMIC RANGE

ENQUIRE IN STORE FOR MORE INFORMATION



M180 R with Coteborg surround



M180 R with Kiel XL surround



M360 T with Marvik surround



M180 P with Tempere surround

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

VIEW OUR COMPREHENSIVE PRODUCT RANGE AND STORE LOCATIONS ONLINE | WWW.CALORE.CO.ZA



SCAN & DOWNLOAD NOW